

Bibliography

1. Fields, H. L. & Heinricher, M. M. Anatomy and physiology of a nociceptive modulatory system. *Philos Trans R Soc Lond, B, Biol Sci* **308**, 361–374 (1985).
2. Chen, Q. & Heinricher, M. M. Descending control mechanisms and chronic pain. *Curr Rheumatol Rep* **21**, 13 (2019).
3. Koch, S. C., Acton, D. & Goulding, M. Spinal circuits for touch, pain, and itch. *Annu Rev Physiol* **80**, 189–217 (2018).
4. Heinricher, M. M., Tavares, I., Leith, J. L. & Lumb, B. M. Descending control of nociception: Specificity, recruitment and plasticity. *Brain Res Rev* **60**, 214–225 (2009).
5. Heinricher, M. M., Morgan, M. M. & Fields, H. L. Direct and indirect actions of morphine on medullary neurons that modulate nociception. *Neuroscience* **48**, 533–543 (1992).
6. Heinricher, M. M., Morgan, M. M., Tortorici, V. & Fields, H. L. Disinhibition of off-cells and antinociception produced by an opioid action within the rostral ventromedial medulla. *Neuroscience* **63**, 279–288 (1994).
7. Basbaum, A. I., Clanton, C. H. & Fields, H. L. Opiate and stimulus-produced analgesia: functional anatomy of a medullospinal pathway. *Proc Natl Acad Sci U S A* **73**, 4685–4688 (1976).
8. Barbaro, N. M., Heinricher, M. M. & Fields, H. L. Putative pain modulating neurons in the rostral ventral medulla: reflex-related activity predicts effects of morphine. *Brain Res* **366**, 203–210 (1986).
9. Marinelli, S., Vaughan, C. W., Schnell, S. A., Wessendorf, M. W. & Christie, M. J. Rostral ventromedial medulla neurons that project to the spinal cord express multiple opioid receptor phenotypes. *J Neurosci* **22**, 10847–10855 (2002).
10. Zhang, L. & Hammond, D. L. Cellular basis for opioid potentiation in the rostral ventromedial medulla of rats with persistent inflammatory nociception. *Pain* **149**, 107–116 (2010).
11. Li, Z. *et al.* CaMKII α may modulate fentanyl-induced hyperalgesia via a CeLC-PAG-RVM-spinal cord descending facilitative pain pathway in rats. *PLoS ONE* **12**, e0177412 (2017).
12. Pedersen, N. P., Vaughan, C. W. & Christie, M. J. Opioid receptor modulation of GABAergic and serotonergic spinally projecting neurons of the rostral ventromedial medulla in mice. *J Neurophysiol* **106**, 731–740 (2011).
13. Harasawa, I., Johansen, J. P., Fields, H. L., Porreca, F. & Meng, I. D. Alterations in the rostral ventromedial medulla after the selective ablation of μ -opioid receptor expressing neurons. *Pain* **157**, 166–173 (2016).
14. François, A. *et al.* A Brainstem-Spinal Cord Inhibitory Circuit for Mechanical Pain Modulation by GABA and Enkephalins. *Neuron* **93**, 822–839.e6 (2017).
15. Benyamin, R. *et al.* Opioid complications and side effects. *Pain Physician* **11**, S105-20 (2008).
16. Mayer, D. J., Wolffe, T. L., Akil, H., Carder, B. & Liebeskind, J. C. Analgesia from electrical stimulation in the brainstem of the rat. *Science* **174**, 1351–1354 (1971).
17. Zorman, G., Hentall, I. D., Adams, J. E. & Fields, H. L. Naloxone-reversible analgesia produced by microstimulation in the rat medulla. *Brain Res* **219**, 137–148 (1981).
18. Heinricher, M. M., Barbaro, N. M. & Fields, H. L. Putative nociceptive modulating neurons in the rostral ventromedial medulla of the rat: firing of on- and off-cells is related to nociceptive responsiveness. *Somatosens Mot Res* **6**, 427–439 (1989).
19. Gris, P. *et al.* A novel alternatively spliced isoform of the mu-opioid receptor: functional antagonism. *Mol Pain* **6**, 33 (2010).
20. Wang, H. & Wessendorf, M. W. Mu- and delta-opioid receptor mRNAs are expressed in spinally projecting serotonergic and nonserotonergic neurons of the rostral ventromedial medulla. *J Comp Neurol* **404**, 183–196 (1999).
21. Pinto, M., Sousa, M., Lima, D. & Tavares, I. Participation of mu-opioid, GABA(B), and NK1 receptors of major pain control medullary areas in pathways targeting the rat spinal cord: implications for descending modulation of nociceptive transmission. *J Comp Neurol* **510**, 175–187 (2008).

22. Antal, M., Petkó, M., Polgár, E., Heizmann, C. W. & Storm-Mathisen, J. Direct evidence of an extensive GABAergic innervation of the spinal dorsal horn by fibres descending from the rostral ventromedial medulla. *Neuroscience* **73**, 509–518 (1996).
23. Zhang, Y. *et al.* Identifying local and descending inputs for primary sensory neurons. *J Clin Invest* **125**, 3782–3794 (2015).
24. Morgan, M. M., Whittier, K. L., Hegarty, D. M. & Aicher, S. A. Periaqueductal gray neurons project to spinally projecting GABAergic neurons in the rostral ventromedial medulla. *Pain* **140**, 376–386 (2008).
25. Winkler, C. W. *et al.* Kappa opioid receptor (KOR) and GAD67 immunoreactivity are found in OFF and NEUTRAL cells in the rostral ventromedial medulla. *J Neurophysiol* **96**, 3465–3473 (2006).
26. Holstege, G. & Kuypers, H. G. J. M. in **57**, 145–175 (Elsevier, 1982).
27. Martin, G. F., Vertes, R. P. & Waltzer, R. Spinal projections of the gigantocellular reticular formation in the rat. Evidence for projections from different areas to laminae I and II and lamina IX. *Exp Brain Res* **58**, 154–162 (1985).
28. Basbaum, A. I., Clanton, C. H. & Fields, H. L. Three bulbospinal pathways from the rostral medulla of the cat: an autoradiographic study of pain modulating systems. *J Comp Neurol* **178**, 209–224 (1978).
29. Fields, H. L., Malick, A. & Burstein, R. Dorsal horn projection targets of ON and OFF cells in the rostral ventromedial medulla. *J Neurophysiol* **74**, 1742–1759 (1995).
30. Heinricher, M. M. & Tortorici, V. Interference with GABA transmission in the rostral ventromedial medulla: disinhibition of off-cells as a central mechanism in nociceptive modulation. *Neuroscience* **63**, 533–546 (1994).
31. Kato, G. *et al.* Direct GABAergic and glycinergic inhibition of the substantia gelatinosa from the rostral ventromedial medulla revealed by in vivo patch-clamp analysis in rats. *J Neurosci* **26**, 1787–1794 (2006).
32. Aicher, S. A., Hermes, S. M., Whittier, K. L. & Hegarty, D. M. Descending projections from the rostral ventromedial medulla (RVM) to trigeminal and spinal dorsal horns are morphologically and neurochemically distinct. *J Chem Neuroanat* **43**, 103–111 (2012).
33. Snider, W. D. & McMahon, S. B. Tackling pain at the source: new ideas about nociceptors. *Neuron* **20**, 629–632 (1998).
34. Kardon, A. P. *et al.* Dynorphin acts as a neuromodulator to inhibit itch in the dorsal horn of the spinal cord. *Neuron* **82**, 573–586 (2014).
35. Gatto, G., Smith, K. M., Ross, S. E. & Goulding, M. Neuronal diversity in the somatosensory system: bridging the gap between cell type and function. *Curr Opin Neurobiol* **56**, 167–174 (2019).
36. Grudt, T. J. & Perl, E. R. Correlations between neuronal morphology and electrophysiological features in the rodent superficial dorsal horn. *J Physiol (Lond)* **540**, 189–207 (2002).
37. Yasaka, T., Tiong, S. Y. X., Hughes, D. I., Riddell, J. S. & Todd, A. J. Populations of inhibitory and excitatory interneurons in lamina II of the adult rat spinal dorsal horn revealed by a combined electrophysiological and anatomical approach. *Pain* **151**, 475–488 (2010).
38. Gutierrez-Mecinas, M., Furuta, T., Watanabe, M. & Todd, A. J. A quantitative study of neurochemically defined excitatory interneuron populations in laminae I-III of the mouse spinal cord. *Mol Pain* **12**, (2016).
39. Boyle, K. A. *et al.* A quantitative study of neurochemically defined populations of inhibitory interneurons in the superficial dorsal horn of the mouse spinal cord. *Neuroscience* **363**, 120–133 (2017).
40. Sathyamurthy, A. *et al.* Massively Parallel Single Nucleus Transcriptional Profiling Defines Spinal Cord Neurons and Their Activity during Behavior. *Cell Rep* **22**, 2216–2225 (2018).
41. Wildner, H. *et al.* Genome-wide expression analysis of Ptf1a- and Ascl1-deficient mice reveals new markers for distinct dorsal horn interneuron populations contributing to nociceptive reflex plasticity. *J Neurosci* **33**, 7299–7307 (2013).
42. Bröhl, D. *et al.* A transcriptional network coordinately determines transmitter and peptidergic fate in the dorsal spinal cord. *Dev Biol* **322**, 381–393 (2008).
43. Huang, M. *et al.* Ptf1a, Lbx1 and Pax2 coordinate glycinergic and peptidergic transmitter phenotypes in dorsal spinal inhibitory neurons. *Dev Biol* **322**, 394–405 (2008).

44. Todd, A. J. Identifying functional populations among the interneurons in laminae I-III of the spinal dorsal horn. *Mol Pain* **13**, 1744806917693003 (2017).
45. Chen, Q. *et al.* Optogenetic Evidence for a Direct Circuit Linking Nociceptive Transmission through the Parabrachial Complex with Pain-Modulating Neurons of the Rostral Ventromedial Medulla (RVM). *Eneuro* **4**, (2017).
46. Hachisuka, J. *et al.* Semi-intact ex vivo approach to investigate spinal somatosensory circuits. *elife* **5**, (2016).
47. Hachisuka, J. *et al.* Wind-up in lamina I spinoparabrachial neurons: a role for reverberatory circuits. *Pain* **159**, 1484–1493 (2018).
48. Smith, K. M. *et al.* Distinct forms of synaptic inhibition and neuromodulation regulate calretinin-positive neuron excitability in the spinal cord dorsal horn. *Neuroscience* **326**, 10–21 (2016).
49. Smith, K. M. *et al.* Functional heterogeneity of calretinin-expressing neurons in the mouse superficial dorsal horn: implications for spinal pain processing. *J Physiol (Lond)* **593**, 4319–4339 (2015).
50. Smith, K. M., Madden, J. F., Callister, R. J., Hughes, D. I. & Graham, B. A. The search for novel analgesics: re-examining spinal cord circuits with new tools. *Front. Pharmacol.* **5**, 22 (2014).
51. Tae, H.-S. *et al.* Gabapentin Modulates HCN4 Channel Voltage-Dependence. *Front. Pharmacol.* **8**, 554 (2017).
52. Decosterd, I. & Woolf, C. J. Spared nerve injury: an animal model of persistent peripheral neuropathic pain. *Pain* **87**, 149–158 (2000).
53. Cichon, J., Sun, L. & Yang, G. Spared nerve injury model of neuropathic pain in mice. *Bio Protoc* **8**, (2018).
54. Alhadeff, A. L. *et al.* A neural circuit for the suppression of pain by a competing need state. *Cell* **173**, 140–152.e15 (2018).
55. Saloman, J. L. *et al.* Gi-DREADD Expression in Peripheral Nerves Produces Ligand-Dependent Analgesia, as well as Ligand-Independent Functional Changes in Sensory Neurons. *J Neurosci* **36**, 10769–10781 (2016).
56. Sheahan, T. D., Copits, B. A., Golden, J. P. & Gereau, R. W. Voluntary Exercise Training: Analysis of Mice in Uninjured, Inflammatory, and Nerve-Injured Pain States. *PLoS ONE* **10**, e0133191 (2015).
57. Sheahan, T. D. *et al.* Metabotropic glutamate receptor 2/3 (mglur2/3) activation suppresses TRPV1 sensitization in mouse, but not human, sensory neurons. *Eneuro* **5**, (2018).
58. Sheahan, T. D. *et al.* Inflammation and nerve injury minimally affect mouse voluntary behaviors proposed as indicators of pain. *Neurobiol. Pain* **2**, 1–12 (2017).
59. McMahon, S. B., Koltzenburg, M., Tracey, I. & Turk, D. *Wall and Melzack's Textbook of Pain*. (Elsevier, 2006).